

## Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878

### SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Code: **0770017**  
Product name: **CONSILEX INJECT MAUER**  
UFI: **1J10-10X8-W003-K1M1**

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: **Microemulsion for active anti-rising chemical barriers**

#### 1.3. Details of the supplier of the safety data sheet

Name: **AZICHEM SRL**  
Full address: **Via G. Gentile 16/A**  
District and Country: **46044 Goito (Mantova) Italia**  
Tel.: **0376604185**  
e-mail address of the competent person responsible for the Safety Data Sheet: **laboratorio@azichem.com**

#### 1.4. Emergency telephone number

For urgent inquiries refer to:  
**Osp. Pediatrico Bambino Gesù ROMA: 06 68593726**  
**Az. Osp. Univ. Foggia FOGGIA: 800183459**  
**Az. Osp. "A. Cardarelli" NAPOLI: 081-5453333**  
**Policlinico "Umberto I" ROMA: 06-49978000**  
**Policlinico "A. Gemelli" ROMA: 06-3054343**  
**Az. Osp. "Careggi" U.O. Tossicologia Medica FIRENZE: 055-7947819**  
**Centro Nazionale di Informazione Tossicologica PAVIA: 0382-24444**  
**Osp. Niguarda Ca' Granda MILANO: 02-66101029**  
**Azienda Ospedaliera Papa Giovanni XXII BERGAMO: 800883300**  
**Azienda Ospedaliera Integrata VERONA: 800011858**

### SECTION 2. Hazards identification

#### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

|                             |      |                                |
|-----------------------------|------|--------------------------------|
| Eye irritation, category 2  | H319 | Causes serious eye irritation. |
| Skin irritation, category 2 | H315 | Causes skin irritation.        |

#### 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: **Warning**

## SECTION 2. Hazards identification ... / >>

Hazard statements:

|               |                                                                                                                                                                               |
|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>H319</b>   | Causes serious eye irritation.                                                                                                                                                |
| <b>H315</b>   | Causes skin irritation.                                                                                                                                                       |
| <b>EUH071</b> | Corrosive to the respiratory tract.                                                                                                                                           |
| <b>EUH208</b> | Contains: MIXTURE OF: 5-CHLORO-2-METHYL-2H- ISOTHIAZOL-3-ONE [N. CE 247-500-7];<br>2-METHYL-2H-ISOTHIAZOL-3-ONE [No. CE 220-239-6] (3:1)<br>May produce an allergic reaction. |

Precautionary statements:

|                  |                                                             |
|------------------|-------------------------------------------------------------|
| <b>P280</b>      | Wear protective gloves / eye protection / face protection.  |
| <b>P337+P313</b> | If eye irritation persists: Get medical advice / attention. |
| <b>P264</b>      | Wash . . . thoroughly after handling.                       |

### 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration  $\geq$  0.1%.

## SECTION 3. Composition/information on ingredients

### 3.2. Mixtures

Contains:

| Identification                                                                                                                     | x = Conc. %           | Classification (EC) 1272/2008 (CLP)                                                                                                                                                                                                                                                                                                                                                                                  |
|------------------------------------------------------------------------------------------------------------------------------------|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>AMINO MODIFIED POLYSILOXANE REACTED WITH POLYOXYALKYLENE</b>                                                                    |                       |                                                                                                                                                                                                                                                                                                                                                                                                                      |
| INDEX                                                                                                                              | 21 $\leq$ x < 22,5    | Eye Irrit. 2 H319, Skin Irrit. 2 H315                                                                                                                                                                                                                                                                                                                                                                                |
| EC                                                                                                                                 | 643-064-0             |                                                                                                                                                                                                                                                                                                                                                                                                                      |
| CAS                                                                                                                                | 921936-12-1           |                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>METHANOL</b>                                                                                                                    |                       |                                                                                                                                                                                                                                                                                                                                                                                                                      |
| INDEX                                                                                                                              | 603-001-00-X          | 0,4 $\leq$ x < 0,45                                                                                                                                                                                                                                                                                                                                                                                                  |
| EC                                                                                                                                 | 200-659-6             | Flam. Liq. 2 H225, Acute Tox. 3 H301, Acute Tox. 3 H311, Acute Tox. 3 H331, STOT SE 1 H370                                                                                                                                                                                                                                                                                                                           |
| CAS                                                                                                                                | 67-56-1               | STOT SE 2 H371: $\geq$ 3% - < 10%<br>ATE Oral: 100 mg/kg, ATE Dermal: 300 mg/kg, ATE Inhalation vapours: 3 mg/l                                                                                                                                                                                                                                                                                                      |
| <b>FORMIC ACID</b>                                                                                                                 |                       |                                                                                                                                                                                                                                                                                                                                                                                                                      |
| INDEX                                                                                                                              | 607-001-00-0          | 0,4 $\leq$ x < 0,45                                                                                                                                                                                                                                                                                                                                                                                                  |
| EC                                                                                                                                 | 200-579-1             | Flam. Liq. 3 H226, Acute Tox. 3 H331, STOT SE 1 H370, Acute Tox. 4 H302, Skin Corr. 1A H314, Eye Dam. 1 H318, EUH071, Classification note according to Annex VI to the CLP Regulation: B<br>Skin Corr. 1A H314: $\geq$ 90%, Skin Corr. 1B H314: $\geq$ 10% - < 90%, Skin Corr. 1C H314: $\geq$ 10% - < 90%, Skin Irrit. 2 H315: $\geq$ 2% - < 10%, Eye Dam. 1 H318: $\geq$ 10%, Eye Irrit. 2 H319: $\geq$ 2% - < 10% |
| CAS                                                                                                                                | 64-18-6               | ATE Oral: 500 mg/kg, LC50 Inhalation vapours: >7,85 mg/l/4h                                                                                                                                                                                                                                                                                                                                                          |
| <b>MIXTURE OF: 5-CHLORO-2-METHYL-2H- ISOTHIAZOL-3-ONE [N. CE 247-500-7]; 2-METHYL-2H-ISOTHIAZOL-3-ONE [No. CE 220-239-6] (3:1)</b> |                       |                                                                                                                                                                                                                                                                                                                                                                                                                      |
| INDEX                                                                                                                              | 613-167-00-5          | 0 < x < 0,0015                                                                                                                                                                                                                                                                                                                                                                                                       |
| EC                                                                                                                                 |                       | Acute Tox. 2 H310, Acute Tox. 2 H330, Acute Tox. 3 H301, Skin Corr. 1C H314, Eye Dam. 1 H318, Skin Sens. 1A H317, Aquatic Acute 1 H400 M=100, Aquatic Chronic 1 H410 M=100, EUH071                                                                                                                                                                                                                                   |
| CAS                                                                                                                                | 55965-84-9            | Skin Corr. 1C H314: $\geq$ 0,6%, Skin Irrit. 2 H315: $\geq$ 0,06% - < 0,6%, Skin Sens. 1A H317: $\geq$ 0,0015%, Eye Dam. 1 H318: $\geq$ 0,6%, Eye Irrit. 2 H319: $\geq$ 0,06% - < 0,6%<br>LD50 Oral: 200 mg/kg, LD50 Dermal: 87,12 mg/kg, LC50 Inhalation mists/powders: 0,33 mg/l/4h                                                                                                                                |
| REACH Reg.                                                                                                                         | 01-2120764691-48-xxxx |                                                                                                                                                                                                                                                                                                                                                                                                                      |

The full wording of hazard (H) phrases is given in section 16 of the sheet.

## SECTION 4. First aid measures

### 4.1. Description of first aid measures

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15

**SECTION 4. First aid measures ... / >>**

minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing, breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

**4.2. Most important symptoms and effects, both acute and delayed**

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

**4.3. Indication of any immediate medical attention and special treatment needed**

If eye irritation persists: Get medical advice / attention.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

**SECTION 5. Firefighting measures****5.1. Extinguishing media****SUITABLE EXTINGUISHING EQUIPMENT**

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

**UNSUITABLE EXTINGUISHING EQUIPMENT**

None in particular.

**5.2. Special hazards arising from the substance or mixture****HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE**

Do not breathe combustion products.

**5.3. Advice for firefighters****GENERAL INFORMATION**

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

**SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS**

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

**SECTION 6. Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

**6.2. Environmental precautions**

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

## SECTION 6. Accidental release measures ... / >>

### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.  
Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

## SECTION 7. Handling and storage

### 7.1. Precautions for safe handling

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. When performing transfer operations involving large containers, connect to an earthing system and wear antistatic footwear. Vigorous stirring and flow through the tubes and equipment may cause the formation and accumulation of electrostatic charges. In order to avoid the risk of fires and explosions, never use compressed air when handling. Open containers with caution as they may be pressurised. Do not eat, drink or smoke during use. Avoid leakage of the product into the environment.

### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Store in a cool and well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

### 7.3. Specific end use(s)

Information not available

## SECTION 8. Exposure controls/personal protection

### 8.1. Control parameters

Regulatory references:

|     |                |                                                                                                                                                                                                                                                                                                                                                        |
|-----|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BGR | България       | НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г. ЗА ЗАЩИТА НА РАБОТЕЩИТЕ ОТ РИСКОВЕ, СВЪРЗАНИ С ЕКСПОЗИЦИЯ НА ХИМИЧНИ АГЕНТИ ПРИ РАБОТА (изм. ДВ. бр.28 от 2 Април 2024г.)                                                                                                                                                                                          |
| DEU | Deutschland    | WirkungDosisNOAELMAK-und BAT-Werte-Liste 2024 Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe                                                                                                                                                                                                                               |
| ESP | España         | Límites de exposición profesional para agentes químicos en España 2024                                                                                                                                                                                                                                                                                 |
| FRA | France         | Valeurs limites d'exposition professionnelle aux agents chimiques en FranceDécret n° 2021-1849 du 28 décembre 2021                                                                                                                                                                                                                                     |
| GRC | Ελλάδα         | Π.Δ. 26/2020 (ΦΕΚ 50/Α` 6.3.2020) Εναρμόνιση της ελληνικής νομοθεσίας προς τις διατάξεις των οδηγιών 2017/2398/ΕΕ, 2019/130/ΕΕ και 2019/983/ΕΕ «για την τροποποίηση της οδηγίας 2004/37/ΕΚ "σχετικά με την προστασία των εργαζομένων από τους κινδύνους που συνδέονται με την έκθεση σε καρκινογόνους ή μεταλλαξιογόνους παράγοντες κατά την εργασία"» |
| HUN | Magyarország   | Az innovációért és technológiáért felelős miniszter 5/2020. (II. 6.) ITM rendelete a kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről                                                                                                                                                                    |
| ITA | Italia         | Decreto Legislativo 9 Aprile 2008, n.81                                                                                                                                                                                                                                                                                                                |
| PRT | Portugal       | Decreto-Lei n.º 102/2024, de 4 de dezembro. Sumário: Transpõe para a ordem jurídica interna a Diretiva (UE) 2022/431, relativa à proteção dos trabalhadores contra riscos ligados à exposição a agentes cancerígenos ou mutagénicos e procede à quarta alteração                                                                                       |
| POL | Polska         | ROZPORZĄDZENIE MINISTRA RODZINY, PRACY I POLITYKI SPOŁECZNEJ z dnia 24 czerwca 2024 r. zmieniające rozporządzenie w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w środowisku pracy                                                                                                                           |
| ROU | România        | HOTĂRÂRE nr. 179 din 28 februarie 2024 pentru modificarea și completarea Hotărârii Guvernului nr. 1.093/2006 privind stabilirea cerințelor minime de securitate și sănătate pentru protecția lucrătorilor împotriva riscurilor legate de expunerea la agenți ca                                                                                        |
| GBR | United Kingdom | EH40/2005 Workplace exposure limits (Fourth Edition 2020)                                                                                                                                                                                                                                                                                              |
| EU  | OEL EU         | Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.                                                             |
|     | ACGIH          | ACGIH 2025                                                                                                                                                                                                                                                                                                                                             |

## SECTION 8. Exposure controls/personal protection ... / >>

### METHANOL

#### Threshold Limit Value

| Type      | Country | TWA/8h<br>mg/m3 | ppm | STEL/15min<br>mg/m3 | ppm  | Remarks / Observations |
|-----------|---------|-----------------|-----|---------------------|------|------------------------|
| TLV       | BGR     | 260             | 200 |                     |      | SKIN                   |
| AGW       | DEU     | 270             | 200 | 1080                | 800  | SKIN                   |
| MAK       | DEU     | 130             | 100 | 260                 | 200  | SKIN                   |
| VLA       | ESP     | 266             | 200 |                     |      | SKIN                   |
| VLEP      | FRA     | 260             | 200 | 1300                | 1000 | SKIN 11                |
| TLV       | GRC     | 260             | 200 | 325                 | 250  |                        |
| AK        | HUN     | 260             |     |                     |      | SKIN                   |
| VLEP      | ITA     | 260             | 200 |                     |      | SKIN                   |
| VLE       | PRT     | 260             | 200 |                     |      | SKIN                   |
| NDS/NDSch | POL     | 100             |     | 300                 |      | SKIN                   |
| TLV       | ROU     | 260             | 200 |                     |      | SKIN                   |
| WEL       | GBR     | 266             | 200 | 333                 | 250  | SKIN                   |
| OEL       | EU      | 260             | 200 |                     |      |                        |
| ACGIH     |         | 262             | 200 | 328                 | 250  | SKIN                   |

### FORMIC ACID

#### Threshold Limit Value

| Type      | Country | TWA/8h<br>mg/m3 | ppm | STEL/15min<br>mg/m3 | ppm    | Remarks / Observations |
|-----------|---------|-----------------|-----|---------------------|--------|------------------------|
| TLV       | BGR     | 9               | 5   |                     |        |                        |
| AGW       | DEU     | 9,5             | 5   | 19 (C)              | 10 (C) |                        |
| MAK       | DEU     | 9,5             | 5   | 19                  | 10     |                        |
| VLA       | ESP     | 9               | 5   |                     |        |                        |
| VLEP      | FRA     | 9               | 5   |                     |        |                        |
| TLV       | GRC     | 9               | 5   |                     |        |                        |
| AK        | HUN     | 9               |     |                     |        |                        |
| VLEP      | ITA     | 9               | 5   |                     |        |                        |
| VLE       | PRT     | 9               | 5   |                     |        |                        |
| NDS/NDSch | POL     | 5               |     | 15                  |        |                        |
| TLV       | ROU     | 9               | 5   |                     |        |                        |
| WEL       | GBR     | 9,6             | 5   |                     |        |                        |
| OEL       | EU      | 9               | 5   |                     |        |                        |
| ACGIH     |         | 9,4             | 5   | 18,8                | 10     |                        |

### MIXTURE OF: 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE [N. CE 247-500-7]; 2-METHYL-2H-ISOTHIAZOL-3-ONE

[No. CE 220-239-6] (3:1)

#### Predicted no-effect concentration - PNEC

|                                                     |         |         |
|-----------------------------------------------------|---------|---------|
| Normal value in fresh water                         | 0,00339 | mg/l    |
| Normal value in marine water                        | 0,00339 | mg/l    |
| Normal value for fresh water sediment               | 0,027   | mg/kg/d |
| Normal value for marine water sediment              | 0,027   | mg/kg/d |
| Normal value for marine water, intermittent release | 0,00339 | mg/l    |
| Normal value for fresh water, intermittent release  | 0,00339 | mg/l    |
| Normal value of STP microorganisms                  | 0,25    | mg/l    |
| Normal value for the terrestrial compartment        | 0,01    | mg/kg/d |

#### Health - Derived no-effect level - DNEL / DMEL

| Route of exposure | Effects on consumers |                    |               |                    | Effects on workers |                |               |                  |
|-------------------|----------------------|--------------------|---------------|--------------------|--------------------|----------------|---------------|------------------|
|                   | Acute local          | Acute systemic     | Chronic local | Chronic systemic   | Acute local        | Acute systemic | Chronic local | Chronic systemic |
| Oral              |                      | 0,11<br>mg/kg bw/d |               | 0,09<br>mg/kg bw/d |                    |                |               |                  |
| Inhalation        | 0,04<br>mg/m3        |                    | 0,02<br>mg/m3 |                    | 0,04<br>mg/m3      |                | 0,02<br>mg/m3 |                  |
| Skin              | MED                  |                    |               |                    | MED                |                |               |                  |

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

## 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is

## SECTION 8. Exposure controls/personal protection ... / >>

well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

### HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

### SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

### EYE PROTECTION

Wear airtight protective goggles (see standard EN ISO 16321).

### RESPIRATORY PROTECTION

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

### ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

## SECTION 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

| Properties                             | Value          | Information |
|----------------------------------------|----------------|-------------|
| Appearance                             | liquid         |             |
| Colour                                 | transparent    |             |
| Odour                                  | not available  |             |
| Melting point / freezing point         | not available  |             |
| Initial boiling point                  | not available  |             |
| Flammability                           | not available  |             |
| Lower explosive limit                  | not available  |             |
| Upper explosive limit                  | not available  |             |
| Flash point                            | not available  |             |
| Auto-ignition temperature              | not available  |             |
| Decomposition temperature              | not available  |             |
| pH                                     | 6 - 7          |             |
| Kinematic viscosity                    | not available  |             |
| Solubility                             | not available  |             |
| Partition coefficient: n-octanol/water | not available  |             |
| Vapour pressure                        | not available  |             |
| Density and/or relative density        | 1,03           | g/cm3       |
| Relative vapour density                | not available  |             |
| Particle characteristics               | not applicable |             |

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

Information not available

#### 9.2.2. Other safety characteristics

|                            |               |         |
|----------------------------|---------------|---------|
| VOC (Directive 2010/75/EU) | 0,85 % - 8,77 | g/litre |
| VOC (volatile carbon)      | 0,27 % - 2,79 | g/litre |

## SECTION 10. Stability and reactivity

### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

#### FORMIC ACID

Decomposes under the effect of heat. Attacks various types of plastic materials.

At room temperature it can release carbon monoxide.

### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

### 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

#### FORMIC ACID

Risk of explosion on contact with: sodium hypochlorite, nitromethane, hydrogen peroxide, furfuryl alcohol. May react dangerously with: alkaline hydroxides, alkaline earth hydroxides, aluminium, palladium-carbon, oxidising agents, phosphorus pentoxide, nitric acid, concentrated sulphuric acid, trihydrate thallium trinitrate. May react dangerously if exposed to: heat. Forms explosive mixtures with: air.

### 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

#### FORMIC ACID

Avoid exposure to: light, sources of heat, naked flames.

### 10.5. Incompatible materials

#### FORMIC ACID

Incompatible with: strong oxidants, strong bases, sulphuric acid, furfurylic acid.

MIXTURE OF: 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE [N. CE 247-500-7]; 2-METHYL-2H-ISOTHIAZOL-3-ONE [No. CE 220-239-6] (3:1)

Oxidizing agents, Amines, Reducing agents, Mercaptans.

### 10.6. Hazardous decomposition products

#### FORMIC ACID

May develop: carbon monoxide, hydrogen.

## SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Metabolism, toxicokinetics, mechanism of action and other information

Information not available

#### Information on likely routes of exposure

##### METHANOL

WORKERS: inhalation; contact with the skin.

POPULATION: ingestion of contaminated food or water; contact with the skin of products containing the substance.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

##### METHANOL

The minimum lethal dose for humans by ingestion is considered to be in the range from 300 to 1000 mg/kg. Ingestion of 4-10 ml of the substance may cause permanent blindness in adult humans (IPCS).

#### Interactive effects

## SECTION 11. Toxicological information ... / >>

Information not available

### ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture: > 20 mg/l  
ATE (Oral) of the mixture: >2000 mg/kg  
ATE (Dermal) of the mixture: >2000 mg/kg

Corrosive to the respiratory tract.

#### METHANOL

ATE (Dermal): 300 mg/kg estimate from table 3.1.2 of Annex I of the CLP  
(figure used for calculation of the acute toxicity estimate of the mixture)  
ATE (Oral): 100 mg/kg estimate from table 3.1.2 of Annex I of the CLP  
(figure used for calculation of the acute toxicity estimate of the mixture)  
LC50 (Inhalation vapours): > 87,6 mg/l/4h Rat  
ATE (Inhalation vapours): 3 mg/l estimate from table 3.1.2 of Annex I of the CLP  
(figure used for calculation of the acute toxicity estimate of the mixture)

#### FORMIC ACID

ATE (Oral): 500 mg/kg estimate from table 3.1.2 of Annex I of the CLP  
(figure used for calculation of the acute toxicity estimate of the mixture)  
LC50 (Inhalation vapours): > 7,85 mg/l/4h Rat

MIXTURE OF: 5-CHLORO-2-METHYL-2H- ISOTHIAZOL-3-ONE [N. CE 247-500-7]; 2-METHYL-2H-ISOTHIAZOL-3-ONE [No. CE 220-239-6] (3:1)

LD50 (Dermal): 87,12 mg/kg Coniglio maschio C(M)IT/MIT (14%) (OECD 402)- opinion RAC  
LD50 (Oral): 200 mg/kg  
LC50 (Inhalation mists/powders): 0,33 mg/l/4h

Method: OECD 423  
Reliability (Klimisch score): 1  
Species: Rat (Wistar; female)

Routes of exposure: oral  
Results: LD50 200 mg/kg

Method: OECD 403  
Reliability (Klimisch score): 1  
Species: rat (CrI:CD BR; male/female)  
Routes of exposure: inhalation  
Results: LC50 0.33 mg/l/4h (aerosol)

Reliability (Klimisch score): 2  
Species: rabbit (Albino)  
Routes of exposure: dermal  
Results: LD50 87.12 mg/kg (C(M)IT/MIT 14%)  
Bibliographical reference: Craig 1993

### SKIN CORROSION / IRRITATION

Causes skin irritation

#### AMINO MODIFIED POLYSILOXANE REACTED WITH POLYOXYALKYLENE

Based on the weight of evidence of available data determined by expert judgment, the substance is classified as a skin irritant

MIXTURE OF: 5-CHLORO-2-METHYL-2H- ISOTHIAZOL-3-ONE [N. CE 247-500-7]; 2-METHYL-2H-ISOTHIAZOL-3-ONE [No. CE 220-239-6] (3:1)

Method: OECD 404  
Reliability (Klimisch score): 1  
Species: rabbit (New Zealand White)  
Routes of exposure: dermal  
Results: corrosive to the skin. SCL (specific concentration limit  $C \geq 0.6\%$  - Reg. (EU) 2018/1480)

### SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

## SECTION 11. Toxicological information ... / >>

### AMINO MODIFIED POLYSILOXANE REACTED WITH POLYOXYALKYLENE

Based on the weight of evidence of available data determined by expert judgment, the substance is classified as an eye irritant

MIXTURE OF: 5-CHLORO-2-METHYL-2H- ISOTHIAZOL-3-ONE [N. CE 247-500-7]; 2-METHYL-2H-ISOTHIAZOL-3-ONE [No. CE 220-239-6] (3:1)

Method: OECD 405

Reliability (Klimisch score): 1

Species: rabbit (New Zealand White)

Routes of exposure: ocular

Results: corrosive to the eyes

SCL (specific concentration limit - Reg. (EU) 2018/1480)

H318 cat.1 C ≥ 0.6%

H319 cat. 2 0.06% ≤ C < 0.6%

### RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

MIXTURE OF: 5-CHLORO-2-METHYL-2H- ISOTHIAZOL-3-ONE [N. CE 247-500-7]; 2-METHYL-2H-ISOTHIAZOL-3-ONE [No. CE 220-239-6] (3:1)

#### Skin sensitization

MIXTURE OF: 5-CHLORO-2-METHYL-2H- ISOTHIAZOL-3-ONE [N. CE 247-500-7]; 2-METHYL-2H-ISOTHIAZOL-3-ONE [No. CE 220-239-6] (3:1)

Bibliographic reference: National Institutes of Health Publication N° 99-449, Appendix J, 1999

Local lymph node testing. (LLNA)

Reliability (Klimisch score): 1

Species: mouse (CBA/J; female)

Results: skin sensitiser, cat 1A

SCL (specific concentration limit) (Reg. (EU) 2018/1480): C ≥ 0.0015 %

### GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

MIXTURE OF: 5-CHLORO-2-METHYL-2H- ISOTHIAZOL-3-ONE [N. CE 247-500-7]; 2-METHYL-2H-ISOTHIAZOL-3-ONE [No. CE 220-239-6] (3:1)

Method: OECD 482 - In vitro test

Reliability (Klimisch score): 1

Results: Negative

Method: OECD 475 - In vivo test

Reliability (Klimisch score): 1

Routes of exposure: oral

Species: mouse (CD-1)

Results: Negative

### CARCINOGENICITY

Does not meet the classification criteria for this hazard class

MIXTURE OF: 5-CHLORO-2-METHYL-2H- ISOTHIAZOL-3-ONE [N. CE 247-500-7]; 2-METHYL-2H-ISOTHIAZOL-3-ONE [No. CE 220-239-6] (3:1)

Based on available data, the substance does not have carcinogenic effects and is not classified under the CLP hazard class of carcinogenicity.

### REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

#### Adverse effects on sexual function and fertility

MIXTURE OF: 5-CHLORO-2-METHYL-2H- ISOTHIAZOL-3-ONE [N. CE 247-500-7]; 2-METHYL-2H-ISOTHIAZOL-3-ONE [No. CE 220-239-6] (3:1)

Method: OECD 416

Reliability (Klimisch score): 1

Species: rat CrI:CD BR

Routes of exposure: oral

Results: Negative. NOAEL = 300 ppm.

**SECTION 11. Toxicological information ... / >>**Adverse effects on development of the offspring

MIXTURE OF: 5-CHLORO-2-METHYL-2H- ISOTHIAZOL-3-ONE [N. CE 247-500-7]; 2-METHYL-2H-ISOTHIAZOL-3-ONE [No. CE 220-239-6] (3:1)

Method: EPA OPP 83-3

Reliability (Klimisch score): 1

Species: rat (Sprague-Dawley)

Routes of exposure: oral

Results: LOAEL = 28 mg/kg. No signs of teratogenicity or embryotoxicity.

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

MIXTURE OF: 5-CHLORO-2-METHYL-2H- ISOTHIAZOL-3-ONE [N. CE 247-500-7]; 2-METHYL-2H-ISOTHIAZOL-3-ONE [No. CE 220-239-6] (3:1)

Based on available data, the substance does not present specific target organ toxicity effects for single exposure and is not classified under the relevant CLP hazard class.

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

MIXTURE OF: 5-CHLORO-2-METHYL-2H- ISOTHIAZOL-3-ONE [N. CE 247-500-7]; 2-METHYL-2H-ISOTHIAZOL-3-ONE [No. CE 220-239-6] (3:1)

Method: OECD 409

Reliability (Klimisch score): 1

Species: dog (beagle)

Routes of exposure: oral

Results: Negative. NOAEL = 22 mg/kg

Method: OECD 413

Reliability (Klimisch score): 1

Species: mouse (CrI:CD(SD)BR)

Routes of exposure: inhalation (aerosol)

Results: Negative. NOAEL = 0.34 mg/m<sup>3</sup>

Method: EPA OPP 82-3

Reliability (Klimisch score): 1

Species: rat (Sprague-Dawley)

Routes of exposure: dermal

Results: Negative. NOAEL (systemic toxicity): 18.75 mg/kg body weight/day. NOAEL (local irritation): 0.75 mg/kg body weight/day

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

MIXTURE OF: 5-CHLORO-2-METHYL-2H- ISOTHIAZOL-3-ONE [N. CE 247-500-7]; 2-METHYL-2H-ISOTHIAZOL-3-ONE [No. CE 220-239-6] (3:1)

There are no data available on the danger in case of aspiration.

**11.2. Information on other hazards**

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

**SECTION 12. Ecological information**

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

**12.1. Toxicity**

MIXTURE OF: 5-CHLORO-2-METHYL-2H- ISOTHIAZOL-3-ONE [N. CE 247-500-7]; 2-METHYL-2H-ISOTHIAZOL-3-ONE [No. CE 220-239-6] (3:1)

LC50 - for Fish

0,19 mg/l/96h *Oncorhynchus mykiss* (EPA OPP 72-1)

EC50 - for Crustacea

0,16 mg/l/48h *Daphnia magna* (EPA OPP 72-2)

EC50 - for Algae / Aquatic Plants

0,0052 mg/l/48h *Skeletonema costatum* (OECD 201 - US EPA OPPTS 850.5400)

Chronic NOEC for Fish

> 0,0464 mg/l/35 giorni *Danio rerio* (OECD 210)

## SECTION 12. Ecological information ... / >>

Chronic NOEC for Algae / Aquatic Plants 0,00049 mg/l/48 h *Skeletonema costatum* (OECD 201 - US EPA OPPTS 850.5400)

### 12.2. Persistence and degradability

METHANOL  
Solubility in water 1000 - 10000 mg/l  
Rapidly degradable

FORMIC ACID  
Solubility in water 1000 - 10000 mg/l  
Rapidly degradable

MIXTURE OF: 5-CHLORO-2-METHYL-2H- ISOTHIAZOL-3-ONE [N. CE 247-500-7]; 2-METHYL-2H-ISOTHIAZOL-3-ONE [No. CE 220-239-6] (3:1)  
NOT rapidly degradable  
NOT rapidly degradable (OECD 301B)

### 12.3. Bioaccumulative potential

METHANOL  
Partition coefficient: n-octanol/water -0,77  
BCF 0,2

FORMIC ACID  
Partition coefficient: n-octanol/water -2,1

MIXTURE OF: 5-CHLORO-2-METHYL-2H- ISOTHIAZOL-3-ONE [N. CE 247-500-7]; 2-METHYL-2H-ISOTHIAZOL-3-ONE [No. CE 220-239-6] (3:1)  
Partition coefficient: n-octanol/water 0,75 C(M)IT: 0.75 MIT: -0.71 (OECD 107)  
BCF 54 *Lepomis macrochirus* (OECD 305 E)

### 12.4. Mobility in soil

FORMIC ACID  
Partition coefficient: soil/water < 1,25

### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

### 12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

### 12.7. Other adverse effects

Information not available

## SECTION 13. Disposal considerations

### 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

The management of waste arising from the use or dispersal of this product must be organised in accordance with occupational safety regulations. See section 8 for possible need for PPE.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

## SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

### 14.1. UN number or ID number

not applicable

### 14.2. UN proper shipping name

not applicable

### 14.3. Transport hazard class(es)

not applicable

### 14.4. Packing group

not applicable

### 14.5. Environmental hazards

not applicable

### 14.6. Special precautions for user

not applicable

### 14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

## SECTION 15. Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU:

None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3 - 40

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage  $\geq$  than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

## SECTION 15. Regulatory information ... / >>

### Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

### 15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

## SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

|                          |                                                                    |
|--------------------------|--------------------------------------------------------------------|
| <b>Flam. Liq. 2</b>      | Flammable liquid, category 2                                       |
| <b>Flam. Liq. 3</b>      | Flammable liquid, category 3                                       |
| <b>Acute Tox. 2</b>      | Acute toxicity, category 2                                         |
| <b>Acute Tox. 3</b>      | Acute toxicity, category 3                                         |
| <b>STOT SE 1</b>         | Specific target organ toxicity - single exposure, category 1       |
| <b>Acute Tox. 4</b>      | Acute toxicity, category 4                                         |
| <b>Skin Corr. 1A</b>     | Skin corrosion, category 1A                                        |
| <b>Skin Corr. 1B</b>     | Skin corrosion, category 1B                                        |
| <b>Skin Corr. 1C</b>     | Skin corrosion, category 1C                                        |
| <b>Skin Corr. 1</b>      | Skin corrosion, category 1                                         |
| <b>Eye Dam. 1</b>        | Serious eye damage, category 1                                     |
| <b>Eye Irrit. 2</b>      | Eye irritation, category 2                                         |
| <b>Skin Irrit. 2</b>     | Skin irritation, category 2                                        |
| <b>Skin Sens. 1A</b>     | Skin sensitization, category 1A                                    |
| <b>STOT SE 2</b>         | Specific target organ toxicity - single exposure, category 2       |
| <b>Aquatic Acute 1</b>   | Hazardous to the aquatic environment, acute toxicity, category 1   |
| <b>Aquatic Chronic 1</b> | Hazardous to the aquatic environment, chronic toxicity, category 1 |
| <b>H225</b>              | Highly flammable liquid and vapour.                                |
| <b>H226</b>              | Flammable liquid and vapour.                                       |
| <b>H310</b>              | Fatal in contact with skin.                                        |
| <b>H330</b>              | Fatal if inhaled.                                                  |
| <b>H301</b>              | Toxic if swallowed.                                                |
| <b>H311</b>              | Toxic in contact with skin.                                        |
| <b>H331</b>              | Toxic if inhaled.                                                  |
| <b>H370</b>              | Causes damage to organs.                                           |
| <b>H302</b>              | Harmful if swallowed.                                              |
| <b>H314</b>              | Causes severe skin burns and eye damage.                           |
| <b>H318</b>              | Causes serious eye damage.                                         |
| <b>H319</b>              | Causes serious eye irritation.                                     |
| <b>H315</b>              | Causes skin irritation.                                            |
| <b>H317</b>              | May cause an allergic skin reaction.                               |
| <b>H371</b>              | May cause damage to organs.                                        |
| <b>H400</b>              | Very toxic to aquatic life.                                        |
| <b>H410</b>              | Very toxic to aquatic life with long lasting effects.              |
| <b>EUH071</b>            | Corrosive to the respiratory tract.                                |

### LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%

## SECTION 16. Other information ... / >>

- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

### GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
23. Delegated Regulation (UE) 2023/707
24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
25. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)
26. Delegated Regulation (UE) 2024/197 (XXI Atp. CLP)
27. Delegated Regulation (UE) 2024/2564 (XXII Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

### CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

## SECTION 16. Other information ... / >>

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

03 / 04 / 09 / 11 / 12 / 13 / 15 / 16.